



MATTING

CONTENTS

ENTRANCE MATS	Mats	Roll / metre goods / constructable	Side
ABSORBENT MATS	ALL IN ONE	ALL IN ONE	8
	CLASSIC		9
	CLASSIC PRINT		10-11
		COMBI ROLL ECO	12
	COMBI PREMIER ECO		13
	FARO		14
	SOLETT	SOLETT	15
SCRAPER MATS	ASTRO TURF	ASTRO TURF	16
		JAGUAR SCRAPER-/MODULE MAT	17
	RUBETT		18
	YOGA LIGHT		19
	YOGA ZON / YOGA ZAP	YOGA ZON / YOGA ZAP	20
SPECIAL MATS	COMBI TRUCK	COMBITRUCK	21
	WALK-N-CLEAN		22
WHY 3 ZONES?	Optimal entrance solution		23

Matting AB



Responsible design

LCA - Life Cycle Analysis

Matting uses life cycle assessment as an important tool in our early design process and product development phase. This is to make decisions based on the most accurate data we can to achieve the greatest and most far-reaching effects on longevity and reduced climate impact in the product's journey from cradle to cradle. If you want to know more about our work with LCA, you are welcome to contact us. Products with a completed life cycle assessment have this symbol.



EPD - Environmental Product Declaration

In parallel with LCA, there are EPDs based on the international standard ISO 14025. EPDs are third-party verified environmental declarations for products and consist of a PCR (product category rule) and an LCA. Products with an EPD have this symbol.





For us, developing products equals great responsibility and creating new opportunities for future generations. In addition to innovative design, we focus on ensuring that our products can be easily reused for a long life over and over again with minimal waste. That the products have spare parts and can be easily repaired when long use has taken its toll on certain components. This symbol means that the product has replaceable parts for a long life and/or that we can offer service/ services for updating/reusing the product.

Matting strives to reduce the proportion of virgin materials and minimise the use of raw materials. We therefore choose to use recycled materials in our products whenever possible. This symbol also indicates when a product contains at least 20% recycled material.



PVC-free

This symbol indicates that the product is PVC-free.

Our range is continuously being developed throughout the year. Therefore, feel free to ask us for our latest new products or about projects involving our full range or unique customer-specific solutions.

Prices are subject to change, E&OE.

Our vision

Matting's vision is to create well-being to prevent fatigue and encourage creative people. Matting offers various solutions that create healthy workplaces and accessible environments. We aim to contribute towards a better world by always being aring, innovative, committed, proud and genuine.

Our story

Matting is a family-owned niche company. Matting AB was established in 1970 by Jon Botha and has become the Nordic region's leading supplier of high-quality ergonomic mats. During the last 10 years, Matting has invested in its own product development and developed strong concepts such as StandUp.

Through our expertise, commitment and cutting-edge product development, we offer sustainable concepts and products for public spaces, workplaces and schools. Our concepts are developed in close collaboration with designers and experts, with a clear focus on sustainability and sustainable people.

We are very intentional about using local production for as many of our products as possible, to reduce unnecessary transport and environmental impact, promote local labour and use natural, non-toxic materials

Matting focuses on two main areas with concepts for a healthy workplace and active study environment and concepts with products and services for accessible, sustainable and safe environments.

StandUp & stay active - wherever you are

Our StandUp range is designed for the workplace of the future. Home offices, co-working spaces and activity-based or flexible offices. Yes, quite simply – wherever you are – no matter where your workplace is. All based on our passion to develop solutions that promote well-being and increased mobilit.



Our designers

Dan Ihreborn was born in Sweden in 1952 and has worked as a freelance designer since 1991. He works with modern furniture design and specialises in office environments as an interior designer. With his 45 years in the industry, Dan has extensive experience and understands how furniture has changed over the years.

Peter Mattisson comes from Borås. He began his professional career back in the 1970s, starting out at age 16 years as a trainee decorator. Since then, Peter has been active in the fashion industry and has worked in both fashion and interior design. He has worked as a designer since 2004 and, since 2015, has been running his own design agency, Peter Mathisson desig.



Next Generation

Matting works actively to reduce the impact on future generations and on our environment. We have begun work to analyse the life-cycle of our products and to create circularity in our processes and products. To help our customers make sustainable environmental choices, we also calculate our products' climate impact.

Through all stages of production, we demand compliance with our Code of Conduct, and that products conform to the REACH regulation; we always strive to manufacture wooden products sustainably. We work on the basis of maintaining the highest quality requirements for our products. That's why we choose to have several of our products tested and certified by independent institutes such as Möbelfakta andOEKO-TEX.

Matting has been environmentally certified to conform to the ISO 14001 standard since 2001.

In our never-ending commitment to reducing our climate footprint and making it easier for our customers to live up to their environmental requirements, Matting has initiated the "LESS WASTE" packaging project. It is about reducing the number of packages as much as possible and reducing waste for the customer. Reducing packaging volume also reduces weight and emissions in transit.

Matting always ensures that our products meet the requirements of the REACH Regulation, which restricts the use of hazardous substances. Our lighting is CE marked and meets the requirements of the RoHS Directive. Matting fulfils the producer responsibility for recycling of electronics (WEEE) in accordance with Ordinance SFS 2014:1075.

ISO Certification

Matting AB has an environmental management system certified to ISO 14001:2015 and a quality management system certified to ISO 9001:2015

Collaboration with El-kretsen

Under regulation SFS 2014:1075 and the regulation on producer responsibility for batteries SFS 2008:834, we cooperate with Elkretsen AB in respect of producer responsibility for electrical and electronic products. Your used products can be left at the nearest recycling centre or collection point. For further information about the nearest reception station, visit: www.el-kretsen.se

Sorting at source

Matting AB has a detailed recycling programme where we sort everything from household waste to wooden pallets.

Packaging materials

Packaging material is a significant, environmental impact factor in Matting's operations. In general, paper and packaging materials are made in Sweden in accordance with standards set by the Swedish Paper Industry Work Environment Council (PIA). All outer packaging used by Matting comes from 100% recycled paper. The packaging also bears the RESU label, a European label approved for European dimensions.











Member of the NPA register

Matting AB is affiliated to the NPA, https://npa.se/ (formerly FTI). We pay packaging fees and thereby fulfil our producer responsibility for the recycling of packaging.

Warranty

Our products must be of high quality, must be designed to function in a circular process, and must be durable. That's why we have a 5-year guarantee on our desks, storage furniture and the NEOS range. The rest of our range is backed by at least a 2-year manufacturing and production warranty. The warranty covers production and manufacturing defects. This does not cover normal wear and tear, damage or poor maintenance. The warranty period starts from the invoice date.

Prices

All prices are exclusive of VAT and shipping. We reserve the right, without prior notice, to make price adjustments resulting from changes in commodity prices, exchange rates, clerical errors or other circumstances beyond the control of Matting AB.

Small order charge

We apply a small order charge of SEK 200 for net orders less than SEK 500.

Terms and conditions of payment

Usually 30 days' credit up to an agreed limit following approved credit checks. Matting AB reserves the right to change the credit limit at any time and without notice. In the event of late payment, interest will be charged on arrears and, where applicable, a fee for collection and the payment order.

Delivery time

Delivery time on stocked standard products:

Orders are shipped from Matting's warehouse the next working day, unless the customer requests otherwise.

Delivery time for stocked products that require cutting, trimming or other customisation is 4-8 days.

Delivery times for non-stocked on-demand products vary and are given as per a Separate delivery notification.

Shipping

Shipping costs are additional. Order delivered free ex-Mattings warehouse Alingsås. We deliver domestic shipments by DHL, unless otherwise agreed. Any free shipping limit is calculated in relation to the order value of the stocked range separately and the on-demand range separately, as simultaneous delivery dates are not possible. Packaging costs as of 1 July 2022.

Packaging costs invoiced in connection with deliveries on pallets:

EUR pallet: 22,50 €*

Disposable pallet, full: 12,50 €
Disposable pallet, half: 10 €
Pallet collar: 12,50 €

Pallet packaging: 12,50 €

Mounting cost Effective/Jaguar: 30 € per square metre.

*Does not apply to customers who are members of DHL's pallet pool

Complaints and returns

Each return and unit must be individually approved by Matting AB. For help, please contact us at <u>info@matting.se</u> or on tel. +46 322 670800.


Information concerning return possibilities for batteries, electrical and electronic products:

In accordance with the Ordinance on producer responsibility for electrical and electronic products (SFS 2014:1075) and the Ordinance on producer responsibility for batteries (SFS 2008:834), Matting AB offers to receive used products free of charge to ensure that the product is recycled or processed in an environmentally acceptable manner. The used product can be handed in to:

Matting AB Tomasgyeardsvägen 19 SE-441 39 Alingsås Sweden

Any costs incurred in connection with the return transport of the product are not refunded.

ABSORBENT MATS





H 7 mm W 90 cm D 60 cm / 150 cm



H7mm W 90/120/180 cm D 18,3 m



Edge strip on short/cap side.

ALL IN ONE absorbent mat

ALL IN ONE is a c PVC-free combination mat of polypropylene. Vinyl backing. A high durability drying mat that removes dirt and absorbs moisture. With edging. Made by the metre.

For indoor use. High traffic. Environment:

Good absorbency and scraping ability. Property: Material: Top yarn polypropylene, back in Thermo-Flex vinyl.

Thickness:


Care: Vacuuming / rinsing or wiping if necessary.

Guarantee: 2 year

Dimensions (cm/m)	Format	Color	Art. no	Price
90 x 60 cm	Mat	Grey	153537	57
90 x 150 cm	Mat	Grey	153593	142
90 cm x 18,3 m	Roll	Grey	153692	1 671
90 cm	Metered goods	Grey	153692-1	106
120 cm x 18,3 m	Roll	Grey	154910	2 229
120 cm	Metered goods	Grey	154910-1	135
180 cm x 18,3 m	Roll	Grey	156090	3 357
180 cm	Metered goods	Grey	156090-1	198
One size	Edge strip/m	Black	171016	26

Maximum length: 18,3 m







H8mm W 85/115/150 cm D 150/200/250/300 cm











CLASSIC absorbent mat

 ${\it CLASSIC}\ is\ a\ {\it PCV-free}\ professionally\ was hable\ absorbent\ mat,\ with\ a\ nitrile\ rubber$ backing, for public environments. An entrance mat that can withstand the tough demands of high traffic. Washable and colourfast. Yarn mixed with carbon fibre threads which remove static electricit. Reinforced rubber edge.

Environment: For indoor use. High traffic.

Good absorbency, fast-drying fiber, dissipates static electricity. Property: Material: Top High twist nylon yarn, perforated back in nitrile rubber.

Thickness: 8 mm

Care: Commercially laundered PH max 9,5, max 60°C, with tumble drying

max 85°, vacuuming or rinsing.

Guarantee: 2 year

Guarantee:	2 year			
Dimensions (cm)	Format	Color	Art. no	Price
85 x 60 cm	Mat	Slate Grey	380200	12
85 x 150 cm	Mat	Anthracite	384092	174
85 x 150 cm	Mat	Red	384120	174
85 x 150 cm	Mat	Black	384125	174
85 x 150 cm	Mat	Granit	384135	174
85 x 150 cm	Mat	Slate Grey	384904	174
85 x 300 cm	Mat	Red	380295	348
85 x 300 cm	Mat	Slate Grey	380290	348
115 x 200 cm	Mat	Anthracite	386367	314
115 x 200 cm	Mat	Red	386120	314
115 x 200 cm	Mat	Granit	386135	314
115 x 200 cm	Mat	Slate Grey	386906	314
115 x 250 cm	Mat	Anthracite	388110*	375
115 x 300 cm	Mat	Red	388120	471
115 x 300 cm	Mat	Anthracite	388216*	471
115 x 300 cm	Mat	Slate Grey	388290	471
150 x 250 cm	Mat	Anthracite	388301*	510
*Procurement.				

ABSORBENT MATS





H 12,5 mm W 85/115/150/200 cm D 150/200/300 cm



FREIGHT

Max weight	Price
max 5 kg	31 €
max 10 kg	37 €
max 20 kg	39€
max 30 kg	41 €
max 50 kg	74€
max 70 kg	84€
max 100 kg	155€
max 150 kg	213€
max 200 kg	247€
max 250 kg	311€
max 300 kg	345€
max 350 kg	437€

CLASSIC PRINT absorbent mat

CLASSIC PRINT is a PVC-free efficient, eco-friendly absorbent mat made of 100% recycled PET yarn, an entrance mat with optional print. Choose from 66 colours or photo printing. Logo mat with nitrile rubber backing. Reinforced rubber edge.

Environment: For indoor use. High traffic.

Property: Durable drying mat that collects dirt and absorbs moisture (3-4 l/m²).

Material: Top in 100% recycled PET yarn, back in perforated nitrile rubber.

Thickness: 12,5 mm

Care: Commercially laundered 40°C with tumble drying, vacuuming or

rinsing.

illarantee: 1 veal

Guarantee:	I year			
Dimensions (cm)	Format	Color	Art. no	Price
85 x 60 cm	Mat	See Color guide s.11	351403	113
85 x 75 cm	Mat	See Color guide s.11	351401	143
85 x 115 cm	Mat	See Color guide s.11	351405	217
85 x 150 cm	Mat	See Color guide s.11	351409	283
85 x 300 cm	Mat	See Color guide s.11	351413	562
115 x 180 cm	Mat	See Color guide s.11	351417	457
115 x 200 cm	Mat	See Color guide s.11	351421	506
115 x 240 cm	Mat	See Color guide s.11	351425	608
115 x 300 cm	Mat	See Color guide s.11	351429	760
150 x 200 cm	Mat	See Color guide s.11	351017	661
150 x 250 cm	Mat	See Color guide s.11	351433	826
150 x 300 cm	Mat	See Color guide s.11	351437	990
200 x 200 cm	Mat	See Color guide s.11	351446	881
200 x 300 cm	Mat	See Color guide s.11	351447	1 321
Special size / m²	Mat	See Color guide s.11	Price a	according to offer

CLASSIC PRINT Color guide

Maximum size is width 200 cm and length 550 cm. Colours with * are slightly mottled. Possibility of PMS-Color at extra charge.



ABSORBENT MATS





H 9 mm W 183 cm D 20 m







COMBI ROLL ECO absorbent mat

COMBI ROLL ECO is a PVC-free, strong and durable combination mat with a surface layer of recycled PET. The deep-pressed pattern effectively collects dirt and moisture. Borderless mat. Excellent for larger surfaces. Metered goods.

Environment: For indoor use. High traffic.

Property: Good absorption and scraping ability. Non-slip.

Material: Top PET, made from at least 90% recycled content. Smooth backing

in SBR rubber, of which 20% recycled rubber.

Thickness: 9 mm

Care: Daily cleaning by vacuuming. Regular washing with a textile care

machine.

Guarantee: 2 year


Dimensions (cm/m)	Format	Color	Art. no	Price
183 cm x 20 m	Roll	Black	370892	7 061
183 cm	Metered goods	Black	370892-1	367
183 cm x 20 m	Roll	Grey	370893	7 061
183 cm	Metered goods	Grey	370893-1	367


Maximum length: 20 m











H 9 mm W 90/89/114 cm D 60/150/175/250 cm










Cleated backning.



Bevelled rubber or textile edge.

COMBI PREMIER ECO absorbent mat

COMBI PREMIER ECO is a PVC-free strong and durable combination mat with a recycled PET surface. The deep pressed pattern effectively collects dirt and moisture. With bevelled rubber/textile edge.

Environment: For indoor use. High traffic.

Property: Good absorption and scraping ability. Non-slip.

Material: Top PET, made from at least 90% recycled content. Cleated backing

in SBR rubber, of which 20% recycled rubber.
Thickness: 9 mm

Care: Daily cleaning by vacuuming. Regular washing with a textile care

machine.
Guarantee: 2 year

Dimensions (cm)	Format	Color	Art. no	Price
90 x 60 cm	Mat, fabric border	Black	370728	98
90 x 60 cm	Mat, fabric border	Grey	370729	98
89 x 150 cm	Mat, rubber border	Black	374810	240
89 x 150 cm	Mat, rubber border	Grey	374890	240
114 x 175 cm	Mat, rubber border	Black	375810	378
114 x 175 cm	Mat, rubber border	Grey	375890	378
114 x 250 cm	Mat, rubber border	Black	370809	600
114 x 250 cm	Mat, rubber border	Grey	370810	600









H 7 mm W 80/90/120/150 cm D 60/120/150/180/250 cm

FARO absorbent mat

FARO is an efficient polypropylene drying mat with a vinyl backing. Entrance mat with good absorbency. A soft and durable mat. With edging.

Environment: For indoor use. Property: Good absorbency.

Material: Top in polypropylene, back in vinyl.

Thickness: 7 mm

Care: Vacuuming/wet cleaning.

Guarantee: 2 year

Dimensions (cm)	Format	Color	Art. no	Price
90 x 60 cm	Mat	Black mottled	391026	27
90 x 60 cm	Mat	Anthracite mottled	391025	27
80 x 120 cm	Mat	Black mottled	391031	44
80 x 120 cm	Mat	Anthracite mottled	391030	44
90 x 150 cm	Mat	Black mottled	391036	62
90 x 150 cm	Mat	Anthracite mottled	391035	62
120 x 180 cm	Mat	Black mottled	391041	99
120 x 180 cm	Mat	Anthracite mottled	391040	99
150 x 250 cm	Mat	Anthracite mottled	391043*	156

^{*} Procurement.





Black mottled

Anthracite mottle

ABSORBENT MATS





H7mm W 80/90 cm D 60 cm/150 cm

 $H7\,mm$ W 90/120 cm D 18,3 m/20 m



Edge strip on short/cap side.

SOLETT absorbent mat

SOLETT is an efficient polypropylene drying mat with a vinyl backing. The entrance mat has a high absorption capacity. A soft and durable mat. With edging. Metered goods.

Environment: For indoor use. Medium traffic. Corridor mat.

Good absorbency. Property: Material: Top in twisted polypropylene, back in vinyl.

Thickness: 7 mm

Vacuuming/wet cleaning. Care:

Guarantee: 2 year

	,			
Dimensions (cm/m)	Format	Color	Art. no	Price
80 x 60 cm	Mat	Black	360020	21,30
80 x 60 cm	Mat	Blue	360021	21,30
80 x 60 cm	Mat	Grey	360022	21,30
80 x 60 cm	Mat	Light grey	360023*	21,30
90 x 150 cm	Mat	Black	360036	59,50
90 x 150 cm	Mat	Blue	360037	59,50
90 x 150 cm	Mat	Grey	360039	59,50
90 x 150 cm	Mat	Light grey	360024*	59,50
90 cm x 18,3 m	Roll	Blue	360907	787
90 cm	Metered goods	Blue	360907-1	56
90 cm x 20 m	Roll	Grey	360909	860
90 cm	Metered goods	Grey	360909-1	56
120 cm x 20 m	Roll	Grey	361209	1 147
120 cm	Metered goods	Grey	361209-1	70,40
One size	Edge strip/m	Black	171016	26
			10000	* Procurement Maximum length:









18,3 m / 20 m

Light grey





H 18 mm W 90 cm D 55 cm/16 m

ASTRO TURF scraper mat

ASTRO TURF is a PVC-free scraper mat or so-called turf mat made of polyethylene that effectively scrapes off and collects dirt. The original "lawn mat".

Environment: 90 x 50 cm: Indoors, outdoors, light traffic.

HP: Indoors, outdoors, medium traffic.

Property: Good scraping function.

Material: Polyethylene. Thickness: 18 mm

Care: Shake and/or rinse.

Guarantee: 2 year

Dimensions (cm/m)	Format	Color	Art. no	Price
90 x 55 cm	Mat	Silver	105998	32
90 x 55 cm	Mat	Graphite	105999	32
90 x 55 cm	Mat	Green	105954	32

ASTRO TURF HP Can withstand cold temperatures. Metered goods.

90 cm x 16 m	Roll	Green	109415	1 002
90 cm	Metered goods	Green	109415-1	75
90 cm x 16 m	Roll	Silver	109910	1 002
90 cm	Metered goods	Silver	109910-1	75

Maximum length: 16 m


307100

7

ASTRO TURF edge An optional extra to the mat by the metre. Easy to attach to the short sides.



SCRAPER MATS





H 12/16/20/25 mm W 40 cm D 10 cm









JAGUAR is a durable modular mat in NBR rubber/vinyl for entrances with tough requirements. Open hole pattern that accommodates large amounts of dirt. Available in four heights and can be ordered in the desired dimensions.

Environment: For indoor and outdoor use, 12 mm suitable for low traffic.

16-25 mm suitable for medium/high traffic entrances. Good scraper function, Non-slip, double-drained backing.

Material: UV-resistant NBR rubber/vinyl. Thickness: 12 mm, 16 mm, 20 mm, 25 mm

Rollable, vacuumed and rinsed when needed. Care:

Guarantee: 5 year

Module 40x10 cm. Packaging 12, 16, 20 mm, 24 modules = 0,96 m². Packaging:

25 mm packaging, 20 modules = 0.8 m^2 .



Mounting anchor for mats longer than 3 metres.

Dimensions (mm)	Format	Color	Art. no	Price/sqm
12 mm	Procurement	Black	101201	207
12 mm	Procurement	Grey	101209	207
16 mm	Procurement	Black	101601	259
16 mm	Procurement	Grey	101609	259
20 mm	Procurement	Black	102001	322
20 mm	Procurement	Grey	102009	322
25 mm	Procurement	Black	102029	382
12 mm	Anchor	Grey	101670	3 €/pcs
16 mm	Anchor	Grey	101671	3 €/pcs
20-25 mm	Anchor	Grey	101672	3 €/pcs











H 15 mm W 81 cm D 61/99 cm

RUBETT scraper mat

RUBETT is a PVC-free natural rubber scraper mat. A rubber mat with spikes that effectively scrapes off dirt. Bevelled edge.

For indoor and outdoor use. Medium traffic. Good scraping function, Non-slip. Natural rubber. Environment:

Property:

Material:

Thickness: 15 mm

Care: Shake and/or rinse.


Guarantee: 2 year

Dimensions (cm)	Format	Color	Art. no	Price
81 x 61 cm	Mat	Black	112415	63
81 x 99 cm	Mat	Black	113214	95



SCRAPER MATS





H 14 mm W 91 cm D 152 cm



With raised studs underneath.

YOGA LIGHT scraper mat

YOGA LIGHT is a PVC-free non-slip scratch mat in natural rubber. An open ring rubber mat that effectively scrapes off dirt. Bevelled edge.

Environment: For indoor and outdoor use. Medium traffic.

Property: Good scraping function, Non-slip.

Material: Natural rubber.

Thickness: 14 mm


Care: Shake and/or rinse.

Guarantee: 2 year

Dimensions (cm)	Format	Color	Art. no	Price
91 x 152 cm	Mat	Black	348091	74








H 23 mm W 80 cm D 60/120 cm



YOGA ZON



H 23 mm W 100 cm D 150 cm



YOGA ZAP



YOGA ZON / YOGA ZAP scraper mat

YOGA ZON is a PVC-free, durable and buildable natural rubber scraper mat. An open ring rubber mat that effectively scrapes off dirt.

For indoor and outdoor use. High traffic. Suitable for recesses in Environment:

Good scraping function, Non-slip. Property:

Material: Natural rubber.

Thickness: 23 mm

Vacuumed and rinsed when needed. Care:

Guarantee: 2 year

Dimensions (cm)	Format	Color	Art. no	Price
80 x 60 cm	Mat ZON	Black	348010	54
80 x 120 cm	Mat ZON	Black	348012	99

YOGA ZAP A PVC-free, durable and buildable scraper mat in natural rubber. An open ring rubber mat that effectively scrapes off dirt.


Dimensions (cm)	Format	Color	Art. no	Price
100 x 150 cm	Mat ZAP	Black	151001	154

YOGA ZON/ZAP connection is a PVC-free natural rubber module for connecting multiple carpets.

Dimensions (cm)	Format	Color	Art. no	Price
One size	Connection	Black	151117	7









H 6,3 mm W 115 cm D 170 cm



COMBI TRUCK special-/absorbent mat

COMBI TRUCK is a combination mat with a surface layer of recycled PET. Good scraping and drying function. Recommended for passages with truck traffic. Apply edge-to-edge and cover large areas. Can be attached with double-sided tape for secure anchoring. Edge-free carpet.

Environment: For indoor use. High traffic.

Property: Good absorption and scraping ability. Non-slip. Can withstand

weights up to 6 350 kg.

Material: Top PET, made from at least 90% recycled content. Smooth backing

in SBR rubber, of which 20% recycled rubber.

Thickness: 6,3 mm

Care: Vacuuming/wet cleaning.

Guarantee: 2 year

Dimensions (cm)	Format	Color	Art. no	Price
115 x 170 cm	Mat	Black	389503	640

COMBITRUCK tape

A double-sided adhesive tape to fix the COMBI TRUCK mat to the surface.

Dimensions (cm)	Format	Color	Art. no	Price
7 cm x 32 m	Tape	-	389513	189



Black





H 7 mm W 80/76 cm D 64/61 cm



WALK-N-CLEAN special- / adhesive mat

WALK -N-CLEAN sticky mat is a specialised mat with dust and dirt control requirements. Anti-slip base plate with adhesive sheets that collect dust and dirt from shoes.

Environment: Laboratory, healthcare, construction site, dust-sensitive industry or

food handling.

Property: Adhesive sheets that collect dust and dirt.

Material: Transparent acrylic self-adhesive sheets. Anti-slip vinyl base plate.

Contains 30% recycled materials. Anti-microbial treated.

Thickness: 7 mm

Care: Dirty/dusty sheets are torn off if necessary.

Guarantee: 2 year

Dimensions (cm)	Format	Color	Art. no	Price
80 x 64 cm	60 sheets	Transparent	107605	203

WALK-N-CLEAN REFILL

Självhäftande klisterark till WALK-N-CLEAN Matn.

Dimensions (cm)	Format	Color	Art. no	Price
76 x 61 cm	4 pcs x 60 sheets, refill	Transparent	107607	597



Matting AB | Price list Sweden 2024.2. All prices are stated in EURO excluding VAT and freight.


MATRIX ENVIRONMENTAL FACTS

	MÖBELFAKTA	EN	DER BLAUE ENGELN		OKOTEX fabrics	EU ECO LABEL fabrics		RECYCLED MATERIAL		REE	FTALATE-FREE	REPLACEABLE LED lighting	CIRCULAR / SPARE PARTS	DISMANTLED	LCA - Life Cycle Analysis	EPD - Environmental Product Declaration
PRODUCT	MÖBE	SVANEN	DER B	FSC	ОКОТ	EU EC	GUT	RECY	RoHS	PVC-FREE	FTAL/	REPL/	CIRCL	DISM,	LCA -	EPD -
ABSORBENT MATS																
CLASSIC										Х						
CLASSIC PRINT								Х		Х					Χ	
COMBI RULLVARA ECO								Х		Х					Χ	
COMBI PREMIER ECO								Х		Х					Χ	
SCRAPER MATS																
ASTRO TURF										Х						
JAGUAR																Х
RUBETT										Х						
YOGA LIGHT										Х						
YOGA ZON										Х						
YOGA ZAP										Χ						
SPECIAL MATS																
COMBI TRUCK									Х							
WALK-N-CLEAN									Χ							

Entrance mats for all environments

With our proven 3-zone cleaning system, a term that means capturing up to 90% of the dirt and moisture brought in through the entrance. The most optimal solution is a three-zone solution, first a scraper mat that takes care of the worst dirt, then a combination mat that takes the fine dirt and finally a drying mat that also takes the last moisture.

Sometimes there is no room to build an entrance in two or three steps/zones. Then we recommend a combination mat that can both scrape off coarse dirt and dry up moisture.



ZONE 1	ZONE 2	ZONE 3
Outdoors	Indoors/covered entrances	Indoors
Coarse dirt	Fine dirt	Fine dirt / moisture
Scraper mats	Scraper mats	Absorbent mats
	Combination mats	Combination mats